Provide Metal Products to Customers With Professional And Standardized Services

Shanghai Guanyu Steel Co.,Ltd.

GUANYU STEEL



GUANYU STEEL

quality products
and reliable service

GUANYU STEEL

About Guanyu

Shanghai Guanyu Steel Co.,Ltd (GYS) is committed to delivering quality to businesses as an integrated global manufacturer,exporter, and supplier with offices and Hebei province. Our company manufacture an array of value-added Metal Products, such as stainless steel plate/sheet/coil, stainless steel seamless pipes, carbon steel seamless pipes,and ERW/LSAW/SSAW pipes.

ubsidiaries located in Shanghai,Songyang, Wenzhou, Shandong

Everyday GYS dedicates its effort to providing quality products and reliable service ,embodying our company's commitment to building valve across the global

Plate/Sheet/Coil:

- 316 Series（S31603、022Cr17Ni12Mo2、316L、316TI、316H、317L etc）
- 321 series（S32168、06Cr18Ni11Ti、321、321H、1Cr18Ni9Ti etc）
- 304 series（S30408、06Cr19Ni10、304、S30403、304L、022Cr19Ni10、S30409 、304H、07Cr19Ni10 etc）
- 400 series（430、1Cr17、0Cr13、410S、1Cr13、410、409 etc)
- 310S、309S、1Cr25Ni20SI2、1Cr20Ni14SI2、253MA、904L Heat-Resisting
- Stainless Steels
- 2205、2304、2101、2507duplex stainless steel
- 800 series、600 series、C-27 etc High-Nickel Alloy.
- Complete variety of specifications, sample supply,regular stock is more than 30,000 tons.
- Size range from 0.3mm to 110mm.
- Surface: 2B, BA, No.1, No.2, No.4, HL, 4K, 6K, 8K, Mirror, Embossed

Cold Rolled Steel Coil

Production Capacity	200,000 Tons/ Year
Thickness	≤1250mm
Width	200,000 Tons/ Year
Steel Grade	Q195~Q235、SPCC、SPCD、SPCE、DC01~DC06、ST12~ST15 and etc.
Application	Automotive Industry, Machinery , Building Materials , Printing and other Industries.

Galvanized Steel Coil/Strip

Production Capacity	100,000 Tons/ Year
Thickness	0.14mm~1.2mm (Coil) ; 0.17mm~2.5mm(Strip)
Width	≤1250mm(Coil) ; ≤750mm(Strip)
Steel Grade	Q195~Q235+Z、SGCC、SGHC、SGH340、SGH400、SGC340~SGC570、G250~G550、S250GD ~ S550GD+Z、DC(X)51D~DC(X)56D+Z and etc.
Zinc Coating	40g/㎡~ 275g/㎡
Surface Treatment	Passivation , Oiling
Spangle Types	Zero Spangle, Minimal Spangle, Big Spangle
Application	Home Appliances , Machinery , Building Materials , Other Industries.



Tinplate

Production Capacity	100,000 Tons/ Year
Base Materials	MR、SPCC、Q195L、Q195
Thickness	0.15mm~0.35mm
Width	500mm~1050mm
Temper	T2~T5 DR7~DR9
Tin Layer	As Customer’s Request
Surface Finish	Passivation、Oiling
Application	Food Packing , Chemical Cans, Aerosol Can and etc.

Galvalume Steel Coil

Production Capacity	100,000 Tons/ Year
Thickness Range	0.15mm~1.3mm
Width Range	700mm~1250mm
Steel Grade	DC51D+AZ , DC52D+AZ , S250GD~S550GD+AZ
AZ Coating	40g/㎡~ 275g/㎡
Surface Treatment	Passivation, Oiling
Fields of Application	Home Appliances , Automotive Industry , Building Materials

Prepainted Steel/Aluminium Coil/Embossed PPGI

Prepainted Steel Coil

Production Capacity	100,000 Tons/ Year
Metal Base	Hot Dipped Galvanized Steel , Galvalume Steel
Thickness	0.18mm~1.2mm
Width	≤1250mm
Layers of the coating	2/2 (2Layers of Top Coating , 2 Layers of Bottom Coating) 2/1 (2Layers of Top Coating , 1 Layer of Bottom Coating) 1/1 (1 Layer of Top Coating , 1 Layer of Bottom Coating)
Color	RAL , According to Customer’s Request
Thickness Of Coating	20+5um
Application	Building Material , Baking Varnish , Cold Storage. Purification and High -Class Door Panels

Pre-Painted Aluminum Coil

Production Capacity	50,000 Tons/ Year
Base Material	Aluminum Coil
Thickness	0.18mm~1.2mm
Width	≤1250mm
Coating Structure	Four-Floor Printings With Three Times of Baking
Color	RAL , According to Customer’s Request
Application	Low-Carbon Technology, Home Appliances, Automotive Industry, Food Package, Decorative Materials

/Stainless Steel Seamless Pipes/Tubes

Item No.	Steel Grades	Typical Steel Codes (AISI)
1	Austenite	301、310s、304、304L、316、316L、316Ti、317、317L、321、347H、904L
2	Duplex	S31803、S2205

PRODUCTION SPECIFICATION

Item No.	Steel Grades	Typical Steel Codes (AISI)
1	Cold Drawn Pipes	OD ϕ6- ϕ830mm WT 1-40mm
2	Cold Rolled Pipes	OD ϕ16- ϕ325mm WT 1-40mm
3	Small Size Pipe	ODϕ1.6mm- ϕ6mm

PRODUCT CATEGORY

Material	Specification	Standard
304(OCr18Ni9)/304L(O0Cr19Ni10) 321 (Cr18Ni9Ti)/321(OCr18Ni10Ti) 310S(OCr25Ni20)/347H(OCr19Ni11Nb) SAF2205(unss31803) 316(OCr17Ni12M02)/316L(O0Cr17Ni14M02) 316Ti(OCr18Ni12M02Ti) 317L(O0Cr1Ni13M03)/SAF2507(unss32750)	OD:6-830mm WT:1-40mm Max Length: 25000mm	GB/T14975-2002、GB14976-2002、GB3296-2007、GB9948-2006、 GB531 0-1995 ASTMA312、ASTMA213、ASTMA269、ASTMA511、ASTMA789、ASTMA790 JIS3463、JIS3459 DIN2462、DIN17458、DIN17456

PRODUCT EQUIPMENT

GYS's people are practical and never stop inprovement ofthemselves with constant innovative spirits,they' ve been conquering submits one after another.

Carbon Steel Seamless Pipe

Structural Tube	
Outsize range	20~760mm
Thickness range	1.5~70mm
Grade	10、20、35、45、Q345（A、B、C、D、E）、40Mn2、45Mn2、27SiMn、37Mn5、20Cr、40Cr、12CrMo、15CrMo、35CrMO、42CrMo、12Cr1MoV、etc.
Standard	GB/T8162-1999，ISO2937，ASTM A53，ASTM A106，JIS G 3441，BS EN 10210-1,DIN1629
Producing Method	Hot Rolled or Cold Drawn(Rolled)
Surface Process	Raw/Painting/3LPE/Galvanized

Fluid Pipe	
Outsize range	20~760mm
Thickness range	4~70mm
Grade	10、20、Q345（A、B、C、D、E）etc.
Standard	GB/T8163，ASTM A53M，ASTM A106M
Producing Method	Hot Rolled or Cold Drawn(Rolled)
Surface Process	Raw/Painting/3LPE/Galvanized

High-Medium-Pressure Seamless Pipe	
Outsize range	20~457mm
Thickness range	4~70mm
Grade	10、20、20G、20MnG、25MnG、12CrMo 、12CrMoG、 15CrMo、15CrMoG、1Cr5Mo、12CrMoVG 、12Cr1MoVG、16Mn、etc.
Standard	GB/T 3087、GB/T 5310、GB/T 6479、GB/T 9948 、 GB/T 13296、JIS G 3456、JIS G 3461、JIS G 3462
Producing Method	Hot Rolled or Cold Drawn(Rolled)
Surface Process	Raw/Painting/3LPE/Galvanized

Line Pipe	
Outsize range	28~760mm
Thickness range	1.7~39.7mm
Grade	L245、L290、L360、L415、L480、GR.B、X42、X46、X56、X65、X70、X80、X100 etc.
Standard	GB/T9711.1, GB/T9711.2 , API SPEC 5L PSL1,PSL2
Surface Process	Raw/Painting/3LPE/Galvanized

Welded Steel Pipe(ERW/LSAW/SSAW)

ERW Straight Welded Pipe	
Outsize range	219~820mm
Thickness range	6~25mm
Grade	GR.B、X42、X52、X60、X65、X70、J55、K55、N80、L80、P110 etc.
Standard	API 5L、API 5CT、ASTM、EN10219-2、GB/T9711、3091-20081、3793-2008、14291-2006
Surface Process	Raw/Painting/3LPE/Galvanized

LSAW Pipe (longitudinally Submerged Arc Welding)	
Outsize range	508~1400mm
Thickness range	8~60mm
Grade	GR.B、X42、X52、X60、X65、X70、X80、J55、K55、N80、L80、P110 etc.
Standard	ISO3183-3、API Spec 5L、GB9711
Surface Process	Raw/Painting/3LPE/Galvanized

SSAW Pipe (Spirally Submerged Arc Welding)	
Outside range	10.3mm（0.405in）--2134mm（84.000in）
Thickness range	1.7mm（0.068in）--52.0mm（2.050in）
Length	6m-12m can be negotiated
Standard	GB/T700、API Spec 5L（PSL1/PSL2）、ISO3183-1:1996、ISO3183-2:1996、ISO3183-3:1999、GB/T9711-2011.
Grade	Q195/Q215/Q235、L175/A25、L175P/A25P、L210/A、L245/B、L300/X42、L320/X46、L360/X52、L390/X56、L415/X60、L450/X65、L485/X70.

Our products have achieved many classification society certification including ISO 9000 quality system certification, UK LR, Italy RINA, pressure pipe production license, as well as Chinese CCS, France BV, Germany GL, the United States ABS, Norway DNV are all during certification. Guided by the quality policy of making fine works, pursuit of excellence, sustained improvement and customer satisfaction.

The products are widely applied in such industries as chemical engineering, petroleum, medicine, food, energy, nuclear power, aerospace, environmental protection, boiler, gas, war industry, machinery, ship building and so on.

GUANYU STEEL

Shanghai office:3rd Floor, E building, No.998 Shenbin Rd(S), Shanghai
Tel: +86 21 53292139 Fax.:+86 21 53292298

Factory add.:No.3, Jiangnan Road, Jiangnan Industrial Park, Songyang, Zhejiang Province
Wenzhou warehouse: Lantian industrial Park, Wenzhou City,China
Shangdong carbon steel pipes warehouse|Wuxi steel plate warehouse

Group web: www.siscogroup.cn Factory web:www.zjgygy.com